

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6473861".pn. and power\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 16:00
L2	1	"6473861".pn. and battery	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 16:14
L3	15	(713/189.ccls. 713/200.ccls.) and @ad<"20000306" and @pd>"20050323"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/11 16:14
S1	605	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 14:19
S2	299	bus and encrypt\$3 and remote near stor\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 14:21
S3	299	S2 and process\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 12:44
S4	228	bus adj controller and encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 12:48
S5	136	S4 and remote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:01

S6	15	bus same encrypt\$3 and remote near stor\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:02
S7	2572	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:12
S8	487	(transmit or transfer) same encrypt\$3 and bus same encrypt\$3 and stor\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:22
S9	154	S8 and remote same stor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:36
S10	605	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:45
S11	93	S10 and bus and remote and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:51
S12	36	S10 and bus and remote and encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:54
S13	115	encrypt\$3 same bus and bus same remote and remote same stor\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/08 13:56

S16	3041	bus and encrypt\$3 and remote and stor\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 14:24
S17	261	bus same encrypt\$3 and remote same stor\$3 and bus and encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 14:25
S18	2	"5805712".pn. and algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 16:46
S19	4	encrypt\$3 and non-encrypt\$3 and bus near controller and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/10 17:24
S20	1	"20010042043".pn. and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 18:25
S21	1	S18 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/10 18:25
S22	1	"05053921".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:30
S23	0	"64041947".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:30

S24	2	"6441947".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:30
S25	0	"64041947".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:31
S26	2	"10275115".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/19 15:31
S27	2	"10275115".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/11/23 10:02
S28	176	delet\$3 near key\$2 same (disassemb\$4 or remov\$4) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:05
S29	157	delet\$3 near key\$2 same (disassemb\$4 or remov\$4) and (case or housing) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:14
S30	3	delet\$3 near key\$2 same (disassemb\$4 or remov\$4) same housing and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:15
S31	10	delet\$3 near key\$2 same (disassemb\$4 or remov\$4) same case and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:17

S32	0	delet\$3 near key\$2 same security adj breach and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:17
S33	1	delet\$3 near key\$2 same abnormality and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:18
S34	12	delet\$3 near key\$2 same (alarm\$2 or alert\$2) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:21
S35	18	eras\$3 near key\$2 same (alarm\$2 or alert\$2) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:21
S36	18	eras\$3 near key\$2 same (alarm\$2 or alert\$2) and @ad<"20000306" not S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 16:21
S37	0	random adj number near constant adj voltage and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:03
S38	6	random adj number same constant adj voltage and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:06
S39	0	random adj number same constant adj voltage adj diode and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:03

S40	8832	constant adj voltage same diode and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:06
S41	1707	constant adj voltage near diode and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:06
S42	1581	constant adj voltage adj diode and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:10
S43	26	zener same random adj number\$2 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:15
S44	2	"5535168".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:15
S45	0	S44 and key same volatile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:16
S46	1	S44 and key	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:16
S47	14	controller same bus same encrypt\$3 same (plain or non-encrypt\$3 or unencrypt\$3) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 08:25

S48	4	controller same bus same encrypt\$3 same output\$2 same (plain or non-encrypt\$3 or unencrypt\$3) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:50
S49	2	"5805712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:50
S50	0	S49 and (plain or unencrypt\$2 or non-encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/23 17:50
S51	14	controller same bus same encrypt\$3 same (plain or non-encrypt\$3 or unencrypt\$3) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 08:25
S52	33	output\$2 same bus same encrypt\$3 same (plain or non-encrypt\$3 or unencrypt\$3) and @ad<"20000306" not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 08:25
S53	668	713/189.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:47
S54	2912	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:47
S55	698	S53 or S54 and @ad<"20000306" and @pd>"20041118"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/24 10:47

S56	2	"6779115".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:46
S57	2	"5592549".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:50
S58	2	"5535168".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:50
S59	2	"5805712".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:58
S60	1790	(each or every) near time with key and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:58
S61	50	(each or every) near time with key same encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:59
S62	0	(each or every) near time with key same encrypt\$3 same bus\$4 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 13:59
S63	18	(each or every) near time with generat\$4 with key same encrypt\$3 and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:08



S64	1	"5512977".pn. and new\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:24
S65	91	encrypt\$3 near2 location near2 (file\$2 or information or data) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:32
S66	41	encrypt\$3 near location near2 (file\$2 or information or data) and @ad<"20000306"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/11 11:39
S67	1	"6023506".pn. and decrypt\$3 with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:42
S68	0	"5455862".pn. and decrypt\$3 with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:49
S69	1	"5455862".pn. and decrypt\$3 with address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 14:49
S70	50	encrypt\$3 near2 location near2 (file\$2 or information or data) and @ad<"20000306" not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:20
S71	0	"5327563".pn. and decrypt\$3 with location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:17

S72	196	encrypt\$3 near2 location and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:20
S73	67	encrypt\$3 near2 location and decrypt\$3 with location and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:21
S74	24	encrypt\$3 near2 location with stor\$3 and decrypt\$3 with location and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:56
S75	79	encrypt\$3 near2 address\$2 with stor\$3 and decrypt\$3 and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:56
S76	52	encrypt\$3 near2 address\$2 with stor\$3 and decrypt\$3 with address\$2 and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:57
S77	28	encrypt\$3 near2 address\$2 with stor\$3 and decrypt\$3 with address\$2 with stor\$3 and @ad<"20000306" not S66 not S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/10 15:57
S78	2	"6473861".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/11 09:24
S79	0	"5512977".pn. and (single or chip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/11 09:35

S80	1	"5512977".pn. and read\$2 near2 out	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/07/11 09:35
-----	---	-------------------------------------	---	-----	-----	------------------